

(19) World Intellectual Property
Organization
International Bureau



(43) International Publication Date
14 October 2004 (14.10.2004)

PCT

(10) International Publication Number
WO 2004/086917 A1

(51) International Patent Classification⁷: **A47F 3/08**,
F25D 25/00, B65G 1/02

(21) International Application Number:
PCT/GB2004/001068

(22) International Filing Date: 11 March 2004 (11.03.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:
0305519.1 11 March 2003 (11.03.2003) GB

(71) Applicant and

(72) Inventor: **FARRAR, Steven** [GB/GB]; 2 White Cross
Road, Dewsbury, West Yorkshire WF12 7DT (GB).

(74) Agent: **BAILEY WALSH & CO LLP**; 5 York Place,
Leeds LS1 2SD (GB).

(81) Designated States (*unless otherwise indicated, for every
kind of national protection available*): AE, AG, AL, AM,
AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN,

CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI,
GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE,
KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD,
MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG,
PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM,
TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM,
ZW.

(84) Designated States (*unless otherwise indicated, for every
kind of regional protection available*): ARIPO (BW, GH,
GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW),
Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), Euro-
pean (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR,
GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK,
TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW,
ML, MR, NE, SN, TD, TG).


Published:

- with international search report
- with amended claims and statement

Date of publication of the amended claims and statement:
9 December 2004

[Continued on next page]

(54) Title: ARTICLE MOVEMENT DEVICE



(57) Abstract: An article movement device for use in a storage area including guide means (20) to define a path for movement of articles (16), said guide means (20) positioned on or supported by said at least one surface of the storage area. Articles (16) which are positioned towards the rear of the storage area are moved either by manual application of force to the articles (16), the device, or by powered movement, towards the front of the storage area for viewing and/or access and so on for all the articles (16) held by the device.



For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

AMENDED CLAIMS

[received by the International Bureau on 22 September 2004 (22.09.04);
original claims 2-4, 5-17 amended; original claims 5-11, 25-28 have been added (5 pages)]

1. An article guide device for use in a storage area wherein said article guide device includes guide means (20) positionable with respect to the storage area so as to define a path or track (32) on which articles held in the storage area are located and along which said articles can be moved in a guided manner within the storage area to selectively move said articles to be positioned at an opening into the storage area for viewing and/or removal, characterised in that said path or track (32) is continuous and formed from a series of elongate members selectively positioned on the storage area surface to allow the user to make use of the storage space shape.
2. An article guide device according to claim 1 and characterised in that said guide means (20) are in the form of a series of interconnected elongate members .
3. An article guide device according to claim 1 and characterised in that said guide means (20) are positioned so as define a substantially oval track (32).
4. An article guide device according to claim 1 and characterised in that said guide means (20) can be selectively positioned on a support surface so as to define a suitable track width and track shape.
5. An article guide device according to claim 1 and characterised in that said guide means (20) define a continuous path for said articles to be moved along.
6. An article guide device according to claim 1 and characterised in that said article guide device includes at

least two portions, and said portions can overlap to allow adjustment of the length of the guide means.

7. An article guide device according to claim 1 and characterised by including any or any combination of protrusions and openings.
8. An article guide device according to claim 7 and characterised in that said protrusions are located in a recess.
9. An article guide device according to claim 8 and characterised in that the free ends of said protrusions forms part of the surface of the track of the article guide device.
10. An article guide device according to claim 9 and characterised in that said track surface is substantially planar.
11. An article guide device according to claim 1 characterised in that cross ribs are provided to maintain the shape of the device.
12. An article guide device according to claim 1 and characterised in that said path is at least partly defined by at least part of at least one surface of the storage area.
13. An article guide device according to claim 1 and characterised in that said guide means (20) includes support means (110) to allow at least a second guide track (104) to be defined and spaced apart from the first guide track (108) so as to form a plurality of article movement tracks as part of the device.

14. An article guide device according to claim 1 and characterised in that said device includes at least one movement means to exert a moving force on said articles along said guide means.
15. An article guide device according to claim 14 and characterised in that said at least one movement means includes any or any combination of wheels, bearings, cogs, rollers, and/or the like.
16. An article guide device according to claim 14 and characterised in that said at least one movement means are spaced apart and mounted laterally along said guide means (20) so as to contact said articles (16) at spaced intervals.
17. An article guide device according to claim 14 and characterised in that said at least one movement means inter-engage with each other.
18. An article guide device according to claim 14 and characterised in that said at least one movement means are connected to drive means, said drive means providing a force to drive said at least one movement means.
19. An article guide device according to claim 1 and characterised in that said guide means (20) are in the form of one or more grooves or slots (202) along which a series of bases (208) are spaced, said bases (208) provided to receive at least one article (16) placed thereon.
20. An article guide device according to claim 19 and characterised in that said bases (208) are located in and movable along said one or more grooves or slots (202).

21. An article guide device according to claim 20 and characterised in that said bases (208) are connected to drive means, said drive means providing a force to drive said bases (208) along said one or more grooves or slots (202).
22. An article guide device according to claim 1 and characterised in that a series of trays (402) are mounted at spaced intervals on said guide means (20).
23. An article guide device according to claim 22 and characterised in that said trays (402) are moved between first and second vertically spaced planes (406, 412) to join and interlink first and second guide tracks.
24. An article guide device according to claim 23 and characterised in that said trays (402) are connected to drive means, said drive means providing a force to drive said trays (402) along said guide means (20).
25. An article guide device according to claim 1 and characterised in that said device is constructed from a plurality of sections which are connected together to define a continuous path or loop.
26. An article guide device according to claim 1 and characterised in that said device is constructed from a plurality of sections which are adjustably connected together such that the device can be adjusted in size to fit a storage area.
27. An article guide device according to any of the preceding claims wherein the storage area is a cupboard space.

28. An article guide device according to any of the preceding claims characterised in that the articles are any or any combination of cans, bottles or containers for consumable goods.

Statement under Article 19(1)

Further to the written opinion of 26th July in connection with the above matter, please find an amended set of claims enclosed which we believe overcomes the Examiner's objections.

Briefly, documents D1-D3 are implemented with unidirectional tracks, for use as First-In-First-Out (FIFO) systems, such that the first item placed on the track at one end is the first item from the track at the other end. This is useful for stock rotation, to ensure that the oldest stock is used first, but not for retrieving specific items. When retrieving a specific item, as the track is not continuous, items have to be removed from one end of the track and placed elsewhere or back on the other end of the track until the item is found. In the present invention, the track is continuous, so a specific item can be retrieved by simply moving the items around the track until the desired item is reached, without having to remove other items from the track. Claim 1 has thus been modified to include the feature of the track being continuous.

In addition, the track of the present invention is formed from a series of elongate members, selectively positioned on the storage area surface to allow the user to make use of the storage space shape. In contrast to the prior art, the track size can thus be adjusted in shape or size to optimise the space utilised by the same in a cupboard, and claim 1 has been amended accordingly.


Basis for these amendments can be found on page 3, lines 6-16, together with the Figures, particularly Figure 1b.

Claims 5-11 and 25-28 have also been added, basis for which can be found on page 3, lines 6-16, and Figures 5a-f.

Claims 2-4, 5-17 have been amended to bring the same into line accordingly, now bearing the numbers 2-4, 12-24 respectively.

We believe the amended claims are acceptable to expedite prosecution of the application, and we look forward to receiving favourable comments in due course.

Yours sincerely,
BAILEY WALSH & CO.

A handwritten signature in black ink, appearing to read 'Bailey Walsh', written in a cursive style.

INTERNATIONAL SEARCH REPORT

International Application No

PCT/GB2004/001068

A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 A47F3/08 F25D25/00 B65G1/02

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 A47F F25D B65G

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the International search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GB 2 324 597 A (BROWN ROBERT) 28 October 1998 (1998-10-28)	1-5,7,8, 11
Y	page 1, line 1 - line 21 figures 1,2	6,12-17
Y	US 4 123 130 A (LOCKE LILLIAN) 31 October 1978 (1978-10-31) column 2, line 48 - column 3, line 49 figures 1,4	6
Y	DE 10 27 500 B (RICHARD MARKUS) 3 April 1958 (1958-04-03) column 3, line 3 - line 25 figures 1,2	12-14
	----- -/--	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents :

- *A* document defining the general state of the art which is not considered to be of particular relevance
- *E* earlier document but published on or after the international filing date
- *L* document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- *O* document referring to an oral disclosure, use, exhibition or other means
- *P* document published prior to the international filing date but later than the priority date claimed

- *T* later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- *X* document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- *Y* document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- *Z* document member of the same patent family

Date of the actual completion of the international search

12 July 2004

Date of mailing of the international search report

26/07/2004

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Papatheofrastou, M

INTERNATIONAL SEARCH REPORT

International Application No
PCT/GB2004/001068

C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
Y	FR 1 111 040 A (VALENTE LUIS M) 21 February 1956 (1956-02-21) page 1, column 2, line 18 - page 2, column 1, line 13 figures 1-3 -----	15-17
X	GB 2 247 673 A (MACDONALD BRUCE) 11 March 1992 (1992-03-11) page 3, line 11 - page 6, line 13 figures 1-3 -----	1-5,7,8, 11
X	DE 32 08 540 A (JOSEPHY SIEGFRIED) 22 September 1983 (1983-09-22) page 10, line 3 - page 16, line 25 figures 1-8 -----	1-5,7,8

INTERNATIONAL SEARCH REPORT
Information on patent family members

International Application No
PCT/GB2004/001068

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
GB 2324597	A	28-10-1998	NONE	
US 4123130	A	31-10-1978	CA 1053734 A1	01-05-1979
DE 1027500	B	03-04-1958	NONE	
FR 1111040	A	21-02-1956	NONE	
GB 2247673	A	11-03-1992	NONE	
DE 3208540	A	22-09-1983	DE 3208540 A1	22-09-1983